



**OUTDOORS**  
INTERNATIONAL

## ***DIAMANT*** Mammut F3 Specifications\*

1	FRAME		ALLOY TRIPLE BUTTED 6069 FRAME, FINISH: SAND BLASTED ANODIZED BLACK, AVAILABLE SIZES 15" / 17" / 19",
2	FORK		26" RIGID FORK, ALLOY STEM, 1.5" TAPERED TO 1-1/8" THREADLESS, ALLOY BLADE, SAND BLASTED ANODIZED BLACK
3	HEADSET	FSA	No. 42ACB
4	HANDLEBAR	C4	FULL CARBON HANDLEBAR, WIDTH: 700mm, RISE: 6.5mm, BACK SWEPT: 10°, BARBORE: 31.8mm
5	STEM	C4	ALLOY 3D FORGED STEM, A-HEAD TYPE, DIA: 28.6mm, EXT80mm FOR 15" / EXT90mm FOR 17" / EXT100mm FOR 19",
6	RIM-FRONT	C4	ALLOY RIM, 26"x 103mm, FINISH: ANODIZED BLACK
7	RIM-REAR	C4	ALLOY RIM, 26"x 103mm, FINISH: ANODIZED BLACK
8	HUB-FRONT	C4	ALLOY DISC FRONT HUB, 14Gx32H, ALLOY AXLE M9x135x145, W/QR 249 (Australian version may have 15mm Through Axle), SEALED BEARINGS, FINISH: POLISHED ANODIZED BLACK
9	HUB-REAR	C4	ALLOY DISC HUB, 14Gx32H, ALLOY AXLE M10x190x200, W/QR249 QR, FOUR SEAL BEARING, FOR 10-SP, FINISH: POLISHED ANODIZED BLACK
10	TIRE-FRONT	VEE RUBBER	Snowshoe 26X4.7 VRB370 FB Silica Comp. SBK 120TPI Light weight B37003 Weight 1,260 gm
11	TIRE-REAR	VEE RUBBER	Snowshoe 26X4.7 VRB370 FB Silica Comp. SBK 120TPI Light weight B37003 Weight 1,260 gm

**OUTDOORS INTERNATIONAL Pty Ltd**

ACN 145 444739

PO Box 1338, Manly, NSW 2095, Australia

Email: Sales@outdoorsinternational.com.au

Web: www.outdoorsinternational.com.au



# OUTDOORS

INTERNATIONAL

12	SPOKES	C4	STAINLESS IN BLACK OXIDE, 2.0x1.5x2.0, 2.0x12mm STANDARD ALLOY NIPPLE IN BLACK
13	CHAIN	KMC	X10
14	CRANKSET	SAMOX	PF30 32/22
16	PEDAL	SHIMANO	XT PD-M785
17	BRAKE-FRONT	MAGURA	MT2
18	BRAKE-REAR	MAGURA	MT2
19	ROTOR-FRONT	C4	160mm
20	ROTOR-REAR	C4	160mm
24	DERAILLEUR-F RONT	SHIMANO	XT
25	DERAILLEUR-R EAR	SHIMANO	XT, SGS, 10-SPEED, TOP-NORMAL, SHADOW
26	SHIFTER-LEFT	MICROSHIFT	2/3 speed shift lever, left friction, SILVER/BLACK
27	SHIFTER-RIGH T	MICROSHIFT	10 speed shift lever, right 10 speed index, SILVER/BLACK
29	FREEWHEEL	SHIMANO	XT, 10-SPEED, 11-13-15-17-19-21-23-26-30-34T(BJ)

**OUTDOORS INTERNATIONAL Pty Ltd**

ACN 145 444739

PO Box 1338, Manly, NSW 2095, Australia

Email: [Sales@outdoorsinternational.com.au](mailto:Sales@outdoorsinternational.com.au)


Web: [www.outdoorsinternational.com.au](http://www.outdoorsinternational.com.au)



**OUTDOORS**  
INTERNATIONAL

30	SADDLE	C4	
31	SEAT POST	C4	ALLOY SEAT POST, DIA: 27.2mm, LENGTH: 400mm, FINISH: ANODIZED BLACK CLAMP/SAND BLASTED
32	SEAT CLAMP		ALLOY SEAT CLAMP, DIA: 31.8mm, QR (AUST models only)
* Specifications indicative only, Diamant Bikes reserves the right to change specifications without notice. All bikes supplied 85% assembled. Australian Standard accessories pack with reflector and bell included.			

## DIAMANT Geometry



- A : Top Tube Effective
- B : Seat Tube Length
- C : Head Tube Angle
- D : Seat Tube Angle
- E : BB Drop
- F : Chainstay Length
- G : Head Tube Length
- H : Fork Length
- J : Fork Offset
- K : Wheelbase
- M : Stack
- N : Reach

2014 Diamant Mk3 fatbike geometry

Model	Size	Fork Length	Top Tube Effective	Seat Tube Length	HT Angle	ST Angle	BB Drop	Chainstay Length	HT Length	Fork Offset	Wheelbase	Stack	Reach
Mammut F4	15	470	588	381	69.5	73	54	467	125	50	1125.5	594.1	406.4
Mammut F4	17	470	603	432	69.5	73	54	467	135	50	1141.2	603.5	418.5
Mammut F4	19	470	618	483	69.5	73	54	467	145	50	1156.8	612.9	430.6
Mammut F3	15	470	588	381	69.5	73	54	467	125	50	1141.2	594.1	406.4
Mammut F3	17	470	603	432	69.5	73	54	467	135	50	1141.2	603.5	418.5
Mammut F3	19	470	618	483	69.5	73	54	467	145	50	1141.2	612.9	430.6
Mammut 24	24"	438	554.2	380	69.5	73	25	442	125	50	1075.8	532.2	391.5

**OUTDOORS INTERNATIONAL Pty Ltd**  
ACN 145 444739

PO Box 1338, Manly, NSW 2095, Australia  
Email: Sales@outdoorsinternational.com.au  
Web: www.outdoorsinternational.com.au