



OUTDOORS
INTERNATIONAL

DIAMANT Mammut F4 Specifications*

1	FRAME		ALLOY 6061 FRAME, FINISH: 80% MATTE BLACK, AVAILABLE SIZES 15" / 17" / 19",
2	FORK		26" RIGID FORK, ALLOY STEM, 1-1/8" THREADLESS, ALLOY BLADE, FINISH, 80% MATTE BLACK
3	HEADSET	Tange	ZS-22
4	HANDLEBAR	C4	ALLOY RISE HANDLEBAR, WIDTH: 720mm, RISE: 15mm, BACK SWEPT: 9°, BARBORE: 31.8mm, FINISH: SANDY BLASTED BLACK
5	STEM	C4	ALLOY 3D FORGED STEM, A-HEAD TYPE, DIA: 28.6mm, EXT80mm FOR 15"/ EXT90mm FOR 17"/ EXT100mm FOR 19", BARBORE: 31.8mm
6	RIM-FRONT	C4	ALLOY RIM, 26"x 103mm
7	RIM-REAR	C4	ALLOY RIM, 26"x 103mm
8	HUB-FRONT	C4	ALLOY DISC FRONT HUB, 14Gx32H, ALLOY AXLE M9x135x145, W/QR 249, SEALED BEARINGS, FINISH: ANODIZED BLACK
9	HUB-REAR	Shimano	FREEHUB, DEORE(01), FH-M525A, L QR, 32H, 8/9-SPEED, OLD: 135mm, AXLE: 146mm, FOR DISC BRAKE (6 BOLT), BLACK
10	TIRE-FRONT	VEE RUBBER	Snowshoe 26X4.7 72Tpi
11	TIRE-REAR	VEE RUBBER	Snowshoe 26X4.7 72Tpi
12	SPOKES	C4	STAINLESS SPOKE IN ED BLACK, W/12mm BRASS NIPPLE IN NP

OUTDOORS INTERNATIONAL Pty Ltd

ACN 145 444739

PO Box 1338, Manly, NSW 2095, Australia

Email: Sales@outdoorsinternational.com.au

Web: www.outdoorsinternational.com.au



OUTDOORS

INTERNATIONAL

13	CHAIN	KMC	X9 STEEL CHAIN, 1/2"x 11/128"x120L, NP/GRAY
14	CRANKSET	SAMOX	36/22
16	PEDAL		VP-531
17	BRAKE-FRONT	TEKTRO	HDC-330
18	BRAKE-REAR	TEKTRO	HDC-330
19	ROTOR-FRONT	TEKTRO	180mm ROTOR, STAINLESS, SILVER
20	ROTOR-REAR	TEKTRO	160mm ROTOR, STAINLESS, SILVER
21	DERAILLEUR-F RONT	SHIMANO	SLX
23	DERAILLEUR-R EAR	SHIMANO	Deore RD-592
24	SHIFTERS	SHIMANO	SL-M430
27	FREEWHEEL	SHIMANO	CS-HG30-9, 9-SPEED, 11-13-15-17-20-23-26-30-34T(AU)
28	SADDLE	C4	
29	SEAT POST	C4	ALLOY SEAT POST, DIA: 27.2mm, LENGTH: 400mm

* Specifications indicative only, Diamant Bikes reserves the right to change specifications without notice. All bikes supplied 85% assembled. Australian Standard accessories pack with reflector and bell included.

OUTDOORS INTERNATIONAL Pty Ltd

ACN 145 444739

PO Box 1338, Manly, NSW 2095, Australia


Email: Sales@outdoorsinternational.com.au

Web: www.outdoorsinternational.com.au



OUTDOORS
INTERNATIONAL

DIAMANT Geometry



- A : Top Tube Effective
- B : Seat Tube Length
- C : Head Tube Angle
- D : Seat Tube Angle
- E : BB Drop
- F : Chainstay Length
- G : Head Tube Length
- H : Fork Length
- J : Fork Offset
- K : Wheelbase
- M : Stack
- N : Reach

2014 Diamant Mk3 fatbike geometry

Model	Size	Fork Length	Top Tube Effective	Seat Tube Length	HT Angle	ST Angle	BB Drop	Chainstay Length	HT Length	Fork Offset	Wheelbase	Stack	Reach
Mammut F4	15	470	588	381	69.5	73	54	467	125	50	1125.5	594.1	406.4
Mammut F4	17	470	603	432	69.5	73	54	467	135	50	1141.2	603.5	418.5
Mammut F4	19	470	618	483	69.5	73	54	467	145	50	1156.8	612.9	430.6
Mammut F3	15	470	588	381	69.5	73	54	467	125	50	1141.2	594.1	406.4
Mammut F3	17	470	603	432	69.5	73	54	467	135	50	1141.2	603.5	418.5
Mammut F3	19	470	618	483	69.5	73	54	467	145	50	1141.2	612.9	430.6
Mammut 24	24"	438	554.2	380	69.5	73	25	442	125	50	1075.8	532.2	391.5



OUTDOORS INTERNATIONAL Pty Ltd

ACN 145 444739

PO Box 1338, Manly, NSW 2095, Australia

Email: Sales@outdoorsinternational.com.au

Web: www.outdoorsinternational.com.au